

Diseases & Surgery of the Retina and Vitreous

Jeffrey D. Zheutlin, M.D. Frank W. Garber, M.D. Louis C. Glazer, M.D. Renee L. Williams, O.D.

VRA Grand Rapids

2505 East Paris Ave. Suite 100 Grand Rapids, MI 49546 Phone (616) 285-1200 Fax (616) 940-0864

VRA Kalamazoo

1080 North 10th Street Suite 100 Kalamazoo, MI 49009 Phone (269) 353-9700 Fax (269) 353-8534

VRA Muskegon

3102 Glade Street Muskegon, MI 49444 Phone (231) 830-1200 Fax (231) 737-9008

Clinical Trials

Allergan Posurdex Implant for DME Alimera Iluvien Implant for DME ThromboGenics Microplasmin for Vitreo-Macular Traction Lpath-iSONEP for ARMD Regeneron VEGF-Trap for ARMD Genentech Lucentis for CRVO Genentech Lucentis for CRVO Ext. Regeneron VEGF-Trap for CRVO Novartis Aliskiren for DME DRCR Lucentis for Diabetic VH Regeneron VEGF-Trap for ARMD Ext. Alimera Iluvien Implant for DME Ext. GSK Oral Pazopanib for ARMD GSK Topical Pazopanib for ARMD Alcon ESBA 1008 for ARMD Santen DE-109 for Posterior Uveitis Allergan Ozurdex vs. Lucentis for DME Regeneron VEGF-Trap for BRVO Novartis LFG316 for Dry AMD Van Andel Institute Vitreous Sample DRCR Topical NSAID for DME Wilmer iDEAL for DME Saint Mary's Vitreous Sample

www.vrapc.com www.facebook.com/vrapc

Vitreo-Retinal Associates, P.C.

Post-Operative Instructions Intravitreal Injection After Care

You may experience any or all of these symptoms after an injection:

- Discomfort
- Tearing
- Swelling of the eyelid
- Redness
- Blurred vision you may not notice improvement in your vision right away and this is normal.
- Sensation that you have something in the eye
- Drainage Red/Yellow a little blood on the eye patch when you remove it is normal.
- Immediately after injection you may have redness of the white of the eye for 3-4 days.
- You may notice black strings, odd shapes, or blobs in the vision of you post-operative eye.

For your comfort:

- Cool or warm compresses
- Do not rub your eye. You could scratch your eye resulting in corneal abrasion.
- Tylenol for comfort

You may experience some redness, swelling, and soreness. It should be relatively minor. If any of the symptoms become worse, please call our office.